Author Index

Ackermans, M. T., Everaerts, F. M. and Beckers, J. L.
Determination of some drugs by micellar electrokinetic capillary chromatography. The pseudo-effective mobility as parameter for screening 585(1991)123

Andersson, J. T.
Comments on the Note "Liquid chromatographic determination of planar aromatic sulphur compounds in crude oil", *J. Chromatogr.*, 475 (1989) 421 585(1991)376

Andoh, H., see Ohhashi, T. 585(1991)153

Arm, H., see Straub, R. 585(1991)195

Assandri, A., see Giachetti, C. 585(1991)111

Auriola, S., see Raatikainen, O. 585(1991)247

Beckers, J. L., see Ackermans, M. T. 585(1991)123

Blaschke, G., see Hollenhorst, T. 585(1991)329

Boček, P.
Analytical biotechnology: Capillary electrophoresis and chromatography (edited by Cs. Horváth and J. N. Nikely) (Book Review) 585(1991)378

Bonifaci, L., Frezzotti, D., Cavalca, G., Malaguti, E. and Ravanetti, G.P.
Analysis of ε-caprolactam and its cyclic oligomers by high-performance liquid chromatography 585(1991)333

Both, D. A., Ribick, M. and Jemal, M.
Determination of methylboronic acid in teboroxime by capillary gas chromatography 585(1991)348

Bouygues-de Ferran, A. M., Pham-Huy, C., Postaire, M. and Hamon, M.
Determination of trace amounts of fluoride in raw materials for pharmaceuticals by gas–liquid chromatography 585(1991)289

Brewster, J. D. and Piotrowski, E. G.
Rapid electrodialytic clean-up of biological samples for high-performance liquid chromatography 585(1991)213

Bystrický, S., see Strašák, M. 585(1991)337

Cabras, P., Melis, M., Spanedda, L. and Tuberoso, C.
High-performance liquid chromatographic determination of dinitroaniline herbicides in soil and water 585(1991)164

Caslavska, J., Gebauer, P. and Thormann, W.
Purification of ovalbumin and lysozyme from a commercial product by recycling isotachophoresis 585(1991)145

Castello, G. and D'Amato, G.
Determination of sulphur and nitrogen gases by gas chromatography on polystyrene porous polymer columns 585(1991)93

Castello, G., Vezzani, S. and Gerbino, T. C.
Gas chromatographic separation and automatic identification of complex mixtures of organic solvents in industrial wastes 585(1991)273

Cavalca, G., see Bonifaci, L. 585(1991)333

Cech, D., see Jäschke, A. 585(1991)57

Ćelap, M. B., see Tešić, Ž. L. 585(1991)359

Ćelap, M. B., see Vučković, G. 585(1991)181

Chen, Y.-H., see Oshima, T. 585(1991)255

Collister, J. W., see Lichtfouse, E. 585(1991)177

Coquart, V. and Hennion, M.-C.
Determination of chlorotriazines in aqueous environmental samples at the ng/l level using preconcentration with a cation exchanger and on-line high-performance liquid chromatography 585(1991)67

Cox, R., see Kuykendall, J. R. 585(1991)322

Cramers, C. A.
Unified separation science (by J. C. Giddings) (Book Review) 585(1991)380

Crommelin, D.J.A., see Grit, M. 585(1991)239

D'Amato, G., see Castello, G. 585(1991)93

De Las Rivas, J., Milicua, J. C. G. and Gomez, R.
Determination of carotenoid pigments in several tree leaves by reversed-phase high-performance liquid chromatography 585(1991)168

Dent, M. R., see Price, G. J. 585(1991)83

Drehmel, D. C., see Lindgren, E. R. 585(1991)353

Dunlap, R. B., see Terry, Jr., A. V. 585(1991)101

Ehwald, R., see Jäschke, A. 585(1991)57

Everaerts, F. M., see Ackermans, M. T. 585(1991)123

Freeman, K. H., see Lichtfouse, E. 585(1991)177

Frezzotti, D., see Bonifaci, L. 585(1991)333

Fujimura, Y., see Hida, M. 585(1991)345

Fukuda, M., see Koizumi, K. 585(1991)233

Furusaki, S., see Kim, M. 585(1991)45

Gaede, F.-P., Kirchner, M., Steinhilber, D. and Roth, H. J.
Determination of picomole amounts of lipoxins C_4, D_4 and E_4 by high-performance liquid chromatography with electrochemical detection 585(1991)53

Gandul-Rojas, B., see Mínguez-Mosquera, M. I. 585(1991)259

Garrido-Fernández, J., see Mínguez-Mosquera, M. I. 585(1991)259

Gebauer, P., see Caslavska, J. 585(1991)145

Gerbino, T. C., see Castello, G. 585(1991)273

Giachetti, C., Assandri, A. and Zanolo, G.
Gas chromatographic–mass spectrometric determination of ethyl carbamate as the xanthylamide derivative in Italian aqua vitae (grappa) samples 585(1991)111

Gomez, R., see De Las Rivas, J. 585(1991)168

Goto, J., Teraya, Y., Nambara, T. and Iida, T.
Studies on steroids. CCLIII. Capillary gas chromatographic behaviour of diethylhydrogensilyl–diethylsilylene derivatives of stereoisomeric bile acids 585(1991)281

Grit, M., Crommelin, D. J. A. and Lang, J.
Determination of phosphatidylcholine, phosphatidylglycerol and their lyso forms from liposome dispersions by high-performance liquid chromatography using high-sensitivity refractive index detection 585(1991)239

Hamon, M., see Bouygues-De Ferran, A. M. 585(1991)289

Hanai, K., see Kawai, S. 585(1991)318
Hayakawa, K., see Yamamoto, A. 585(1991)315
Hayashi, Y., see Matsuda, R. 585(1991)187
He, L.-Y., see Oshima, T. 585(1991)255
Heldin, E., Huynh, N. H. and Pettersson, C.
(2*R*,3*R*)-Dicyclohexyl tartrate as a chiral mobile phase additive 585(1991)35
Hennion, M.-C., see Coquart, V. 585(1991)67
Hida, M., Mitsui, T. and Fujimura, Y.
Determination of succinic acid by pyrolysis–gas chromatography in the presence of sodium sulfite and iron powder 585(1991)345
Hirata, H., see Sakaki, K. 585(1991)117
Hirayama, F., see Oshima, T. 585(1991)255
Hirokawa, T., Omori, A., Yokota, Y., Hu, J.-Y. and Kiso, Y.
Isotachophoretic separation of minor components from a matrix component in the case of strong electrolytes 585(1991)297
Hirokawa, T., Sugino, R. and Kiso, Y.
Electrophoretic mobility and dissociation constants of tripeptides evaluated by isotachophoresis 585(1991)364
Hizukuri, S., see Koizumi, K. 585(1991)233
Hollenhorst, T. and Blaschke, G.
Direct separation of the enantiomers of propafenone, diprafenone and their major metabolites by high-performance liquid chromatography on modified cellulose and amylose chiral stationary phases 585(1991)329
Hu, J.-Y., see Hirokawa, T. 585(1991)297
Huynh, N. H., see Heldin, E. 585(1991)35
Iida, T., see Goto, J. 585(1991)281
Ikeda, M., see Ohhashi, T. 585(1991)153
Ishigaki, I., see Kim, M. 585(1991)45
Ito, K., see Kawai, S. 585(1991)318
Itoh, H., see Nimura, N. 585(1991)207
Itokawa, H., see Oshima, T. 585(1991)255
Janjić, T. J., see Tešić, Ž. L. 585(1991)359
Jäschke, A., Cech, D. and Ehwald, R.
Chromatographic fractionation of nucleic acids using microcapsules made from plant cells 585(1991)57
Jemal, M., see Both, D. A. 585(1991)348
Juranić, N., see Vučković, G. 585(1991)181
Katayama, M., Masuda, Y. and Taniguchi, H.
Determination of alcohols by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 585(1991)219
Kawai, S., Hanai, K., Ito, K., Kitahara, S. and Kuwae, A.
High-performance liquid chromatographic separation of *p*-hydroxyphenylpyruvic acid 585(1991)318
Khoo, S. B., see Yik, Y. F. 585(1991)139
Kim, M., Saito, K., Furusaki, S., Sato, T., Sugo, T. and Ishigaki, I.
Adsorption and elution of bovine γ-globulin using an affinity membrane containing hydrophobic amino acids as ligands 585(1991)45
Kinoshita, T., see Nimura, N. 585(1991)207
Kirchgessner, D. A., see Lindgren, E. R. 585(1991)353
Kirchner, M., see Gaede, F.-P. 585(1991)53
Kiso, Y., see Hirokawa, T. 585(1991)297
Kiso, Y., see Hirokawa, T. 585(1991)364
Kitahara, S., see Kawai, S. 585(1991)318
Kitaoka, Y., Kobayashi, M. and Ujeno, Y.
Studies of the electrophoretic behaviour of *p*-dihydroxyborylphenylalanine and related compounds by the three-spot method 585(1991)369
Kobayashi, M., see Kitaoka, Y. 585(1991)369
Koizumi, K., Fukuda, M. and Hizukuri, S.
Estimation of the distributions of chain length of amylopectins by high-performance liquid chromatography with pulsed amperometric detection 585(1991)233
Kosh, J. W., see Terry, Jr., A. V. 585(1991)101
Kuwae, A., see Kawai, S. 585(1991)318
Kuykendall, J. R. and Cox, R.
Rapid and quantitative separation of nicotinamide and its N^1-methylated metabolite by Dowex AG50-X4 chromatography 585(1991)322
Lang, J., see Grit, M. 585(1991)239
Lee, H. K., see Yeo, S. K. 585(1991)133
Lee, H. K., see Yik, Y. F. 585(1991)139
Li, S. F. Y., see Yeo, S. K. 585(1991)133
Li, S. F. Y., see Yik, Y. F. 585(1991)139
Lichtfouse, E., Freeman, K. H., Collister, J. W. and Merritt, D. A.
Enhanced resolution of organic compounds from sediments by isotopic gas chromatography–combustion–mass spectrometry 585(1991)177
Linares, P., Luque de Castro, M. D. and Valcárcel, M.
Determination of polyphosphates in intermediate materials for detergent manufacture by ion high-performance liquid chromatography with post-column derivatization 585(1991)267
Lindgren, E. R., Pershing, D. W., Kirchgessner, D. A. and Drehmel, D. C.
Near-continuous measurement of hydrogen sulfide and carbonyl sulfide by an automatic gas chromatograph 585(1991)353
Lottspeich, F., see Ohhashi, T. 585(1991)153
Luque de Castro, M. D., see Linares, P. 585(1991)267
Malaguti, E., see Bonifaci, L. 585(1991)333
Maruta, T., see Oshima, T. 585(1991)255
Masuda, M., see Oshima, T. 585(1991)255
Masuda, Y., see Katayama, M. 585(1991)219
Matsuda, R., Hayashi, Y., Suzuki, T. and Saito, Y.
Simplex optimization of liquid chromatography with the function of mutual information as a criterion 585(1991)187
Matsunaga, A., see Yamamoto, A. 585(1991)315
Melis, M., see Cabras, P. 585(1991)164
Merritt, D. A., see Lichtfouse, E. 585(1991)177
Milicua, J. C. G., see De Las Rivas, J. 585(1991)168
Miljević, D., see Vučković, G. 585(1991)181
Minárik, M., see Sitkey, V. 585(1991)373
Mitsui, T., see Hida, M. 585(1991)345
Miyazaki, M., see Yamamoto, A. 585(1991)315
Mizukami, E., see Yamamoto, A. 585(1991)315
Mizutani, T., see Oshima, T. 585(1991)255

Mínguez-Mosquera, M. I., Gandul-Rojas, B., Montaño-Asquerino, A. and Garrido-Fernández, J.
Determination of chlorophylls and carotenoids by high-performance liquid chromatography during olive lactic fermentation 585(1991)259
Moberg, C., Norin, T., Rákos, L. and Sjödin, K.
Ligand-exchange chromatography of alkenes on stationary phases containing palladium(II) complexes. Enantiomeric separation of *trans*-1,2-divinylcyclohexane 585(1991)309
Montaño-Asquerino, A., see Mínguez-Mosquera, M. I. 585(1991)259
Moritani, C., see Ohhashi, T. 585(1991)153
Nagae, N., see Nimura, N. 585(1991)207
Nambara, T., see Goto, J. 585(1991)281
Nimura, N., Itoh, H., Kinoshita, T., Nagae, N. and Nomura, M.
Fast protein separation by reversed-phase high-performance liquid chromatography on octadecylsilyl-bonded non-porous silica gel. Effect of particle size of column packing on column efficiency 585(1991)207
Nitta, K. and Watanabe, A.
Determination of calcium ions tightly bound to proteins 585(1991)173
Nomura, M., see Nimura, N. 585(1991)207
Norin, T., see Moberg, C. 585(1991)309
Novomeský, P., see Strašák, M. 585(1991)337
Odom, J. D., see Terry, Jr., A. V. 585(1991)101
Ohhashi, T., Moritani, C., Andoh, H., Satoh, S., Ohmori, S., Lottspeich, F. and Ikeda, M.
Preparative high-yield electroelution of proteins after separation by sodium dodecyl sulphate–polyacrylamide gel electrophoresis and its application to analysis of amino acid sequences and to raise antibodies 585(1991)153
Ohmori, S., see Ohhashi, T. 585(1991)153
Omori, A., see Hirokawa, T. 585(1991)297
Oshima, T., Hirayama, F., Masuda, M., Maruta, T., Sagara, K., Mizutani, T., He, L.-Y., Tong, Y.-Y., Chen, Y.-H. and Itokawa, H.
Determination of sennoside A and B in the pharmaceutical preparation Otsuji-to using ion-pair high-performance liquid chromatography with column switching 585(1991)255
Pagliuca, G., see Piretti, M. V. 585(1991)342
Paseiro Losada, P., Paz Abuín, S., Vázquez Odériz, L., Simal Lozano, J. and Simal Gándara, J.
Quality control of cured epoxy resins. Determination of residual free monomers (*m*-xylylenediamine and bisphenol A diglycidyl ether) in the finished product 585(1991)75
Paz Abuín, S., see Paseiro Losada, P. 585(1991)75
Pershing, D. W., see Lindgren, E. R. 585(1991)353
Petrauskas, A. A. and Švedas, V. K.
Hydrophobicity of β-lactam antibiotics. Explanation and prediction of their behaviour in various partitioning solvent systems and reversed-phase chromatography 585(1991)3
Pettersson, C., see Heldin, E. 585(1991)35
Pfister, M., see Straub, R. 585(1991)195
Pham-Huy, C., see Bouygues-De Ferran, A. M. 585(1991)289
Piotrowski, E. G., see Brewster, J. D. 585(1991)213
Piretti, M. V. and Pagliuca, G.
Regeneration of column activity after the gas chromatographic separation of membrane lipids on thermostable SE-52 phase 585(1991)342
Postaire, M., see Bouygues-De Ferran, A. M. 585(1991)289
Price, G. J. and Dent, M. R.
Prediction of retention in gas–liquid chromatography using the UNIFAC group contribution method. II. Polymer stationary phases 585(1991)83
Purnell, H.
A practical guide to the care, maintenance and trouble shooting of capillary gas chromatographic systems (by D. Rood) (Book Review) 585(1991)379
Raatikainen, O., Auriola, S. and Tuomisto, J.
Identification of aromatic moieties and mycosamine in antifungal heptaenes with high-performance liquid chromatography, high-performance liquid chromatography 585(1991)247
Rákos, L., see Moberg, C. 585(1991)309
Ravanetti, G. P., see Bonifaci, L. 585(1991)333
Reijenga, J. C.
Data compression in computerized signal processing for isocratic chromatography 585(1991)160
Ribick, M., see Both, D. A. 585(1991)348
Rodríguez-Gonzalo, E., Sánchez-Martín, M. J. and Sánchez-Camazano, M.
Determination of acephate by liquid chromatography in the presence of aqueous soil extracts 585(1991)324
Roth, H. J., see Gaede, F.-P. 585(1991)53
Sagara, K., see Oshima, T. 585(1991)255
Saito, K., see Kim, M. 585(1991)45
Saito, Y., see Matsuda, R. 585(1991)187
Sakaki, K. and Hirata, H.
Separation of secondary alcohol enantiomers using supercritical fluid chromatography 585(1991)117
Sánchez-Camazano, M., see Rodríguez-Gonzalo, E. 585(1991)324
Sánchez-Martín, M. J., see Rodríguez-Gonzalo, E. 585(1991)324
Sato, T., see Kim, M. 585(1991)45
Satoh, S., see Ohhashi, T. 585(1991)153
Silks III, L. A., see Terry, Jr., A. V. 585(1991)101
Simal Gándara, J., see Paseiro Losada, P. 585(1991)75
Simal Lozano, J., see Paseiro Losada, P. 585(1991)75
Sitkey, V., Travěncová, I. and Minárik, M.
Isolation and purification of bacterial proteinases by means of autofocusing 585(1991)373
Sjödin, K., see Moberg, C. 585(1991)309
Spanedda, L., see Cabras, P. 585(1991)164
Steinhilber, D., see Gaede, F.-P. 585(1991)53
Strašák, M., Novomeský, P. and Bystrický, S.
Rapid optical resolution of electrically neutral cobalt(III) chelate complexes by gel permeation chromatography 585(1991)337

Straub, R., Pfister, M. and Arm, H.
New chiral covalently bonded, π-donor stationary phases for high-performance liquid chromatography, based on derivatives of optically active 1-(1-naphthyl)ethylamine. Part II 585(1991)195
Sugino, R., see Hirokawa, T. 585(1991)364
Sugo, T., see Kim, M. 585(1991)45
Suzuki, T., see Matsuda, R. 585(1991)187
Švedas, V. K., see Petrauskas, A. A. 585(1991)3
Taniguchi, H., see Katayama, M. 585(1991)219
Teraya, Y., see Goto, J. 585(1991)281
Terry, Jr., A. V., Silks III, L. A., Dunlap, R. B., Odom, J. D. and Kosh, J. W.
Synthesis of novel selenium-containing choline and acetylcholine analogues and their quantitation using a pyrolysis–gas chromatography–mass spectrometry assay 585(1991)101
Tešić, Ž. L., Janjić, T. J. and Ćelap, M. B.
Effect of the substituents of β-diketonato ligands on R_F values of tris(chelate) transition metal complexes obtained by normal- and reversed-phase thin-layer chromatography on unmodified silica gel 585(1991)359
Thormann, W., see Caslavska, J. 585(1991)145
Tong, Y.-Y., see Oshima, T. 585(1991)255
Travěncová, I., see Sitkey, V. 585(1991)373
Tuberoso, C., see Cabras, P. 585(1991)164
Tuomisto, J., see Raatikainen, O. 585(1991)247
Ueno, K. and Umeda, T.
Electrochemical and chromatographic properties of selected hydrazine and hydrazide derivatives of carbonyl compounds 585(1991)225
Ujeno, Y., see Kitaoka, Y. 585(1991)369
Umeda, T., see Ueno, K. 585(1991)225
Valcárcel, M., see Linares, P. 585(1991)267
Vázquez Odériz, L., see Paseiro Losada, P. 585(1991)75
Vezzani, S., see Castello, G. 585(1991)273
Vučković, G., Juranić, N., Miljević, D. and Ćelap, M. B.
Simultaneous effect of geometrical isomerism and chelate ring size of tris(aminocarboxylato)cobalt(III) complexes on their behaviour in thin-layer chromatography on silica gel and alumina 585(1991)181
Watanabe, A., see Nitta, K. 585(1991)173
Yamamoto, A., Matsunaga, A., Mizukami, E., Hayakawa, K. and Miyazaki, M.
Ligand-exchange ion chromatographic determination of malic acid enantiomers in apple juice with photometric detection 585(1991)315
Yeo, S. K., Lee, H. K. and Li, S. F. Y.
Separation of antibiotics by high-performance capillary electrophoresis with photodiode-array detection 585(1991)133
Yik, Y. F., Lee, H. K., Li, S. F. Y. and Khoo, S. B.
Micellar electrokinetic capillary chromatography of vitamin B_6 with electrochemical detection 585(1991)139
Yokota, Y., see Hirokawa, T. 585(1991)297
Zanolo, G., see Giachetti, C. 585(1991)111

Erratum

J. Chromatogr., 557 (1991) 469–479
Page 473, eqn. 9 should read $q_1^2 = p_o / D$.